

Client: Beast Labs

Certified: 04/15/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	BPC-157/TB-500	Form	Lyophilized powder (acetate)
Batch	BT200426	Labeled Qty	20mg
Cap Color	Red	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Bedrock Purity	(>98%)	99.649%	✓
Bedrock Content	(20mg ± 10%)	22.44 mg	✓
Bedrock Identification	(BPC-157/TB-500)	BPC-157/TB-500	✓
Endotoxin (EU/mL)	(≤0.5 EU/mL)	PASS	✓
Microbial Safety	(No Growth)	No Growth	✓

BATCH CONFORMITY RESULTS


Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.653	22.21
Vial 2	99.748	22.45
Vial 3	99.546	22.01
Vial 4	99.789	22.78
Vial 5	99.508	22.75
Batch Average	99.649%	22.44 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: BPC-157/TB-500 m: 0.1 (Retention) @ 21 min



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-8F88BE-S56
Access Code: 7WKZ04S