

Client: Beast Labs

Certified: 04/15/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	CJC-1295 (No DAC)/Ipamorelin	Form	Lyophilized powder (acetate)
Batch	CJIP0326	Labeled Qty	10mg
Cap Color	Clear	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Bedrock Purity	(>98%)	99.774%	✓
Bedrock Dose	(10mg ± 10%)	11.15 mg	✓
Bedrock Label Match	(CJC-1295 (No DAC)/Ipamorelin)	CJC-1295 (No DAC)/Ipamorelin	✓
Endotoxin (EU/mL)	(≤0.5 EU/mL)	PASS	✓
Microbial Substrate	(No Growth)	No Growth	✓

BATCH CONFORMITY RESULTS


Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.802	11.08
Vial 2	99.731	11.28
Vial 3	99.939	11.15
Vial 4	99.657	11.07
Vial 5	99.741	11.15
Batch Average	99.774%	11.15 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: RP-HPLC, mobile phase: 0.1% TFA in water / 0.1% TFA in acetonitrile @ 25 °C



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-7FC973-S62
Access Code: A44EN1Q