

Client: Beast Labs

Certified: 04/15/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Glow	Form	Lyophilized powder (acetate)
Batch	Glow700326	Labeled Qty	70mg
Cap Color	White	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Bedrock Purity	(>98%)	99.763%	✓
Bedrock Blend	(70mg ± 10%)	73.87 mg	✓
Bedrock Color (LAL)	(Glow)	Glow	✓
Endotoxin (EU/mL)	(≤0.5 EU/mL)	PASS	✓
Microbial Screen	(No Growth)	No Growth	✓

BATCH CONFORMITY RESULTS


Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.753	74.21
Vial 2	99.769	73.56
Vial 3	99.612	72.75
Vial 4	99.781	73.81
Vial 5	99.898	75.01
Batch Average	99.763%	73.87 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

CHROMATOGRAM

Method: HPLC-MS/MS | Date: 04/15/2026



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-51E157-S77
Access Code: W8U0LDS