

Client: Beast Labs

Certified: 04/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Retatrutide	Form	Lyophilized powder (acetate)
Batch	RT200326	Labeled Qty	20mg
Mol. Formula	C221H342N46O68	CAS Number	2381089-83-2
Cap Color	Black	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Batch Purity	(>98%)	99.832%	✓
Batch Weight	(20mg ± 10%)	22.18 mg	✓
Labeling Confirmation (HPLC-MS)	(Retatrutide)	Retatrutide	✓
Endotoxin (LAL) Screen	(≤0.5 EU/mL)	PASS	✓
Microbial Substrate Screen	(No Growth)	No Growth	✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.831	22.28
Vial 2	99.867	21.84
Vial 3	99.793	22.26
Vial 4	99.838	22.34
Batch Average	99.832%	22.18 mg

CHROMATOGRAM

Method: HPLC-MS | Detector: MS | Date: 2026-04-13



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-D6DE97-S44

Access Code: MWJEI5V