

Client: Beast Labs

Certified: 04/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Retatrutide	Form	Lyophilized powder (acetate)
Batch	RT600326	Labeled Qty	60mg
Mol. Formula	C221H342N46O68	CAS Number	2381089-83-2
Cap Color	Blue	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Batch Purity	(>98%)	99.876%	✓
Batch Weight	(60mg ± 10%)	63.29 mg	✓
Labeling Confirmation (HPLC-MS)	(Retatrutide)	Retatrutide	✓
Endotoxin Limit Screen	(≤0.5 EU/mL)	PASS	✓
Microbial Safety Screen	(No Growth)	No Growth	✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.856	63.19
Vial 2	99.884	63.88
Vial 3	99.964	63.26
Vial 4	99.801	62.85
Batch Average	99.876%	63.29 mg

CHROMATOGRAM

Method: HPLC-MS | Detector: DAD @ 214 nm



David Cohen
Lab Director



koveralabs.com/verify

Report#: KVR-2026-E1FE69-S53

Access Code: G097XQ1