

Client: Beast Labs

Certified: 05/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Klow	Form	Lyophilized powder (acetate)
Batch	KL800526	Labeled Qty	80 mg
Cap Color	Blue	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Bedrock Purity	(>98%)	99.908%	✓
Bedrock Blend	(80mg ± 10%)	89.11 mg	✓
Bedrock Blend Label	(Klow)	Klow	✓
Endotoxin (EU/mL)	(≤0.5 EU/mL)	PASS	✓
Microbial Screen	(No Growth)	No Growth	✓

BATCH CONFORMITY RESULTS

Vial	Blend Purity (%)	Blend Net Content (mg)
Vial 1	99.888	86.37
Vial 2	99.928	91.84
Batch Average	99.908%	89.11 mg

BLEND COMPONENT ANALYSIS

Component	Labeled	Measured
TB-500	10 mg	11.64 mg
BPC-157	10 mg	11.03 mg
KPV	10 mg	11.78 mg
GHK-Cu	50 mg	51.92 mg

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓


Mercury (Hg)

Negative



CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detector: DAD | @ 214 nm



Lemar Arghandival
Lab Director



koveralabs.com/verify

Report#: KVR-2026-84E44E-S116

Access Code: WX1IQUV