

Client: Beast Labs

Certified: 05/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	PT-141	Form	Lyophilized powder (acetate)
Batch	PT100526	Labeled Qty	10 mg
Mol. Formula	C50H68N14O10	CAS Number	189691-06-3
Cap Color	White	Crimp Color	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Batch Purity	(>98%)	99.865%	✓
Batch Net Content	(10mg ± 10%)	11.00 mg	✓
Label Conformance (NMR)	(PT-141)	PT-141	✓
Endotoxin Limit Screen	(≤0.5 EU/mL)	PASS	✓
Microbial Substrate Screen	(No Growth)	No Growth	✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓


BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.877	10.97
Vial 2	99.853	11.04
Batch Average	99.865%	11.00 mg

CHROMATOGRAM

Method: HPLC, Gradient, 150 min, 25°C, 0.1% TFA in water / 100% MeCN





Lemar Arghandival
Lab Director



koveralabs.com/verify

Report#: KVR-2026-4A3B51-S119

Access Code: TIWZ229